

Correction Tape CP-9358



Notice:

1. This manual only shows general product parameters.
2. The final right of interpretation belongs to Guangzhou Yingyuan Stationery Co.,Ltd.

PRODUCT SPECIFICATION SHEET

Product Name: Correction Tape – Bear Shape Design

Model No.: CP-9358

Brand: OEM / ODM Only

1. PRODUCT OVERVIEW

Playful bear-shaped correction tape designed to appeal to students, children, and young stationery enthusiasts. The adorable bear housing makes correction fun while delivering reliable performance. Standard 8m length with max capacity of 10m. Perfect for school, home, and gift markets.

We manufacture **all core product components** in-house – including housing, gears, tape core, coating, and more.This gives us full control over quality, cost, and delivery – and gives you complete flexibility for customization.

2. STANDARD SPECIFICATIONS (FOR REFERENCE)

Parameter	Standard Specification
Design	Bear shape – cute, playful housing
Tape Width	5 mm
Tape Length	8 meters (standard) / max capacity: 10 meters
Tape Type	White correction film
Coverage	High opacity – covers dark pen ink instantly
Drying Time	Instant – write immediately
Gear Material	POM (self-lubricating, quiet, no jamming)
Housing Material	PS (lightweight, durable)
Tape Core Material	PET (high strength, tear-resistant)

3. CUSTOMIZATION OPTIONS (OEM/ODM HIGHLIGHT)

Since we produce every core component ourselves, almost everything can be customized:

Customization Item	Options / Flexibility
Packaging	Blister card / color box / OPP bag / display box – dimensions and weight customized per client
Packaging Weight & Size	To be determined according to customer's specific requirements
Housing Color	Custom colors available (Pantone matching supported)
Housing Material	PS / ABS – select according to target market and budget
Bear Design	Design customization available – different expressions, accessories, or colors
Tape Gear Material	POM (default) – can be adjusted based on cost requirements
Tape Core Material	PET (standard) – alternative options available upon request
Tape Width	4.2mm / 5mm / 6mm – customized options available
Tape Length	5m – 10m – flexible based on customer needs
Logo Printing	Custom silk screen / pad printing on housing or packaging
Any other component	We produce all core components in-house – just ask and we can discuss

4.STANDARD PACKAGING REFERENCE

We offer complete packaging solutions. Final specifications are customized based on customer orders.

Packaging Level	Reference (for standard product)
Unit Pack	1 piece / blister card (350gsm paper card)
Inner Box	24 pieces / inner box (corrugated cardboard)
Master Carton	576 pieces / carton (24 inner boxes)
Carton Size	Customized per customer order
Gross Weight	Depends on packaging and product specifications

5. KEY FEATURES / SELLING POINTS

- Adorable bear shape** – eye-catching, fun design that appeals to students and children
- Smooth application** – POM gear ensures no jamming, quiet operation
- Strong coverage** – high-opacity white film covers dark pen ink instantly
- Instant writing** – no waiting time, write immediately after correction
- Long-lasting** – 8m standard length, max 10m
- Durable materials** – PET tape core and reliable housing for long-lasting use
- Certified safe** – EN71-3, ISO9001, BSCI
- Perfect for school and gift markets** – great for back-to-school and stationery gift sets

6. WHY CHOOSE US FOR OEM/ODM?

- **Fully integrated manufacturer** – we produce all product components (housing, gears, tape core, coating) in-house.
- **Full customization** – from housing material and colors to packaging design. Any component can be tailored.
- **Flexible MOQ** – trial orders welcome
- **Certified quality** – EN71- 3, ISO9001, BSCI
- **In-house production** – molds, injection molding, coating, printing, assembly – all under one roof
- **Fast sampling** – 7–14 days for custom samples

We don't just make products. We manufacture core components in-house, source packaging wisely, and deliver YOUR brand – fully customized.

7. CERTIFICATIONS

- EN71-3
- ISO9001
- BSCI